

Database Programming with SQL

14-1: Intro to Constraints; NOT NULL and UNIQUE Constraints

Practice Activities

Objectives

- Define the term "constraint" as it relates to data integrity
- State when it is possible to define a constraint at the column level, and when it is possible at the table level
- State why it is important to give meaningful names to constraints
- State which data integrity rules are enforced by NOT NULL and UNIQUE constraints
- Write a CREATE TABLE statement which includes NOT NULL and UNIQUE constraints at the table and column levels
- Explain how constraints are created at the time of table creation

Vocabulary

Identify the vocabulary word for each definition below.

Every value in a column or set of columns (a composite key) must be unique
For every row entered into the table, there must be a value for that column
Constraint ensures that the column contains no null values and uniquely identifies each row of the table
Specifies a condition for a column that must be true for each row of data
Identifies that table and column in the parent table
An integrity constraint that requires every value in a column or set of columns be unique
Designates a column (child table) that establishes a relationship between a primary key in the same table and a different table (parent table)
References one or more columns and is defined separately from the definitions of the columns in the table
Database rule.
Database rule that references a single column

Try It / Solve It

Global Fast Foods has been very successful this past year and has opened several new stores. They need to add a table to their database to store information about each of their store's locations. The owners want to make sure that all entries have an identification number, date opened, address, and city and that no other entry in the table can have the same email address. Based on this information, answer the following questions about the global_locations table. Use the table for your answers.

Global Fast Foods global_locations Table							
NAME	TYPE	LENGTH	PRECISION	SCALE	NULLABLE	DEFAULT	
ld							
name							
date_opened							
address							
city							
zip/postal							
code							
phone							
email							
manager_id							
Emergency							
contact							

- 1. What is a "constraint" as it relates to data integrity?
- 2. What are the limitations of constraints that may be applied at the column level and at the table level?
- 3. Why is it important to give meaningful names to constraints?
- 4. Based on the information provided by the owners, choose a datatype for each column. Indicate the length, precision, and scale for each NUMBER datatype.
- 5. Use "nullable" to indicate those columns that can have null values.
- 6. Write the CREATE TABLE statement for the Global Fast Foods locations table to define the constraints at the column level.
- 7. Execute the CREATE TABLE statement in Oracle Application Express.

- 8. Execute a DESCRIBE command to view the Table Summary information.
- 9. Rewrite the CREATE TABLE statement for the Global Fast Foods locations table to define the UNIQUE constraints at the table level. Do not execute this statement.