

Database Programming with SQL

1-3: Anatomy of a SQL Statement

Practice Activities

Objectives

- Match projection, selection, and join with their correct functions capabilities
- Create a basic SELECT statement
- Use the correct syntax to display all rows in a table
- Use the correct syntax to select specific columns in a table, modify the way data is displayed, and perform calculations using arithmetic expressions and operators
- Formulate queries using correct operator precedence to display desired results
- Define a null value
- Demonstrate the effect null values create in arithmetic expressions
- Construct a query using a column alias

Vocabulary

Identify the vocabulary word for each definition below.

Display data from two or more related tables.
A symbol used to perform an operation on some values.
An implementation of an attribute or relationship in a table.
The capability in SQL to choose the columns in a table that you want returned from a query.
A value that is unavailable, unassigned, unknown, or inapplicable.
Renames a column heading.
A mathematical equation.
The capability in SQL to choose the rows in a table returned from a query.
Retrieves information from the database
Specifies the columns to be displayed
Specifies the table containing the column listed in the select clause
An individual SQL statement

Part of a SQL statement
A combination of the two clauses

Try It / Solve It

Now you know the basics of a SELECT statement, It's time to practice what you've learned.

- 1. Write a SQL statement that demonstrates projection.
- 2. Write a query that displays the last_name and email addresses for all the people in the DJs on Demand d_client table. The column headings should appear as "Client" and "Email Address."
- 3. The manager of Global Fast Foods decided to give all employees at 5%/hour raise + a \$.50 bonus/hour. However, when he looked at the results, he couldn't figure out why the new raises were not as he predicted. Ms. Doe should have a new salary of \$7.59, Mr. Miller's salary should be \$11.00, and Monique Tuttle should be \$63.50. He used the following query. What should he have done?

```
SELECT last_name, salary *.05 +.50 FROM f_staffs;
```

- 4. Which of the following would be the easiest way to see all rows in the d_songs table?
 - a. SELECT id, title, duration, artist, type_code
 - b. SELECT columns
 - c. SELECT *
 - d. SELECT all
- 5. If tax = 8.5% * car_cost and license = car_cost * .01%, which value will produce the largest car payment?
 - a. Payment = $(car_cost * 1.25) + 5.00 (tax) (license)$
 - b. Payment = $car_cost * 1.25 + 5.00 (tax license)$

6. In the example below, identify the keywords, the clause(s), and the statement(s):

SELECT employee_id, last_name FROM employees

- 7. Label each example as SELECTION, PROJECTION, or JOIN.
 - a. Please give me Mary Adam's email address.
 - b. I will need each customer's name and the order total for their order.
 - c. I would like only the manager_id column, and none of the other columns.
- 8. Which of the following statements are true?
 - a. null * 25 = 0;
 - b. null * 6.00 = 6.00
 - c. null * .05 = null
 - d. (null + 1.00) + 5.00 = 5.00
- 9. How will the column headings be labeled in the following example?

SELECT bear_id bears, color AS Color, age "age" FROM animals;

- a. bears, color, age
- b. BEARS, COLOR, AGE
- c. BEARS, COLOR, age
- d. Bears, Color, Age
- 10. Which of the following words must be in a SELECT statement in order to return all rows?
 - a. SELECT only
 - b. SELECT and FROM
 - c. FROM only
 - d. SELECT * only