

Fig.1




Fig.2

Form1.Designer.cs* X Form1.cs* Form1.cs [Design]*

C# radioButton-comboBox WindowsFormsApplication1.Form1

```
28     /// </summary>
29     private void InitializeComponent()
30     {
31         this.comboBox1 = new System.Windows.Forms.ComboBox();
32         this.button1 = new System.Windows.Forms.Button();
33         this.groupBox1 = new System.Windows.Forms.GroupBox();
34         this.button2 = new System.Windows.Forms.Button();
35         this.rbIarna = new System.Windows.Forms.RadioButton();
36         this.rbVara = new System.Windows.Forms.RadioButton();
37         this.groupBox1.SuspendLayout();
38         this.SuspendLayout();
39         // comboBox1
40         this.comboBox1.FormattingEnabled = true;
41         this.comboBox1.Items.AddRange(new object[] {
42             "ana",
43             "are",
44             "mere",
45             "si",
46             "pere"});
47         this.comboBox1.Location = new System.Drawing.Point(37, 35);
48         this.comboBox1.Name = "comboBox1";
49         this.comboBox1.Size = new System.Drawing.Size(121, 21);
50         this.comboBox1.TabIndex = 0;
51         this.comboBox1.Text = "pere";
52         this.comboBox1.SelectedIndexChanged += new System.EventHandler(this.comboBox1_SelectedIndexChanged);
53         // button1
54         this.button1.Location = new System.Drawing.Point(200, 35);
55         this.button1.Name = "button1";
56         this.button1.Size = new System.Drawing.Size(57, 23);
57         this.button1.TabIndex = 1;
58         this.button1.Text = "button1";
59         this.button1.UseVisualStyle = true;
60         this.button1.Click += new System.EventHandler(this.button1_Click);
61         // groupBox1
62         this.groupBox1.Controls.Add(this.button2);
63         this.groupBox1.Controls.Add(this.rbIarna);
64         this.groupBox1.Controls.Add(this.rbVara);
65         this.groupBox1.Location = new System.Drawing.Point(37, 117);
66         this.groupBox1.Name = "groupBox1";
67         this.groupBox1.Size = new System.Drawing.Size(220, 181);
68         this.groupBox1.TabIndex = 2;
69         this.groupBox1.TabStop = false;
70         this.groupBox1.Text = "groupBox1";
```

Fig. 3

Form1.Designer.cs* X Form1.cs* Form1.cs [Design]*

C# radioButton-comboBox WindowsFormsApplication1.Form1

```
70     this.groupBox1.Text = "groupBox1";
71     // button2
72     this.button2.Location = new System.Drawing.Point(17, 112);
73     this.button2.Name = "button2";
74     this.button2.Size = new System.Drawing.Size(51, 23);
75     this.button2.TabIndex = 2;
76     this.button2.Text = "button2";
77     this.button2.UseVisualStyleBackColor = true;
78     this.button2.Click += new System.EventHandler(this.button2_Click);
79     // rbIarna
80     this.rbIarna.AutoSize = true;
81     this.rbIarna.Location = new System.Drawing.Point(17, 56);
82     this.rbIarna.Name = "rbIarna";
83     this.rbIarna.Size = new System.Drawing.Size(49, 17);
84     this.rbIarna.TabIndex = 1;
85     this.rbIarna.TabStop = true;
86     this.rbIarna.Text = "Iarna";
87     this.rbIarna.UseVisualStyleBackColor = true;
88     this.rbIarna.CheckedChanged += new System.EventHandler(this.rbIarna_CheckedChanged);
89     // rbVara
90     this.rbVara.AutoSize = true;
91     this.rbVara.Location = new System.Drawing.Point(17, 20);
92     this.rbVara.Name = "rbVara";
93     this.rbVara.Size = new System.Drawing.Size(47, 17);
94     this.rbVara.TabIndex = 0;
95     this.rbVara.TabStop = true;
96     this.rbVara.Text = "Vara";
97     this.rbVara.UseVisualStyleBackColor = true;
98     this.rbVara.CheckedChanged += new System.EventHandler(this.rbVara_CheckedChanged);
99     // Form1
100    this.AutoScaleDimensions = new System.Drawing.SizeF(6F, 13F);
101    this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
102    this.ClientSize = new System.Drawing.Size(463, 421);
103    this.Controls.Add(this.groupBox1);
104    this.Controls.Add(this.button1);
105    this.Controls.Add(this.comboBox1);
106    this.Name = "Form1";
107    this.Text = "Form1";
108    this.groupBox1.ResumeLayout(false);
109    this.groupBox1.PerformLayout();
110    this.ResumeLayout(false);
111
112 }
```

Fig.4

Form1.Designer.cs* Form1.cs* + X Form1.cs [Design]*

C# radioButton-comboBox WindowsFormsApplication1.Form1

```
2  using System.Collections.Generic;
3  using System.ComponentModel;
4  using System.Data;
5  using System.Drawing;
6  using System.Linq;
7  using System.Text;
8  using System.Windows.Forms;
9
10 namespace WindowsFormsApplication1
11 {
12     public partial class Form1 : Form
13     {
14         public Form1()
15         {
16             InitializeComponent();
17         }
18         private void button1_Click(object sender, EventArgs e)
19         {
20             MessageBox.Show(Convert.ToString(comboBox1.Items[1]));
21             //comboBox1.Items.Add(5);
22             MessageBox.Show(Convert.ToString(comboBox1.SelectedIndex));
23         }
24         private void comboBox1_SelectedIndexChanged(object sender, EventArgs e)
25         {
26             MessageBox.Show(Convert.ToString(comboBox1.SelectedItem));
27             MessageBox.Show(comboBox1.SelectedText);
28             MessageBox.Show(Convert.ToString(comboBox1.SelectedIndex));
29         }
30         private void button2_Click(object sender, EventArgs e)
31         {
32             if (rbIarna.Checked == true) MessageBox.Show("Ati selectat "+rbIarna.Text);
33             if (rbVara.Checked == true) MessageBox.Show("Ati selectat "+rbVara.Text);
34         }
35         private void rbVara_CheckedChanged(object sender, EventArgs e)
36         {
37             MessageBox.Show(rbVara.Text);
38         }
39         private void rbIarna_CheckedChanged(object sender, EventArgs e)
40         {
41             MessageBox.Show(rbIarna.Text);
42         }
43     }
44 }
```

Fig. 5

